Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.




62,91

BROWLED

* MAY 1 0 1946 *

1946 Depart cont d'Agriculture

Plant List



Erica Vagans Mrs. D. F. Maxwell



L. N. ROBERSON CO.

1540 East 102nd Street

VErmont 1189

Seattle 55, Washington

GREETINGS, CUSTOMERS!

OUR NURSERY offers the following as a means of letting the public know what type of plants we raise. Many names are omitted for lack of space but we will always be glad to have you write or call about other species which we may have in small quantities.


Visitors are always welcome but our small staff makes it impossible for someone to be available at all hours, so we suggest, for your convenience as well as ours, that you telephone first when planning a visit to us, especially when coming from any great distance. Closing time—4:30 P. M.; open Sundays by appointment only.

Mail orders are given prompt attention although shipping is limited to once or twice a week. Packing for shipment is gratis but PARCEL POST or EXPRESS charges are to be paid by the customer as is the RETAIL SALES TAX for Washington customers and these amounts should be included in your check or money order. No mail order under \$2.00, please!

We attempt to name plants correctly but no guarantee is expressed or implied. Growing conditions affect plants so much that they may look entirely different in your garden than they did in the nursery. They leave us in good condition and should do well if properly grown. The very fact that our supply of a certain size or type of plant may be exhausted before the season passes makes it impossible to assure mail order customers that we can meet all demands so it is always advisable to state whether you wish a substitution or a refund in case we cannot fill the order as sent.

In order to give the most information possible in the least space, each plant name is followed by the color of the flower, ultimate height or height of blossom—whichever applies, and approximate time of flowering. All plants with the exception of "rooted cuttings" are ready to set out into the garden although different groups may vary in maturity. A dwarf shrub is comparatively young and small at three to five years while an herbaceous perennial should be divided and reset that often.





Rock Plants

A good rock garden demands special attention to the soil when planting. Sandy loam, peat moss and well rotted manure in equal portions provide a good base soil for general use. Plants with special requirements may have other ingredients added.

Be sure no air pockets are left when working with the soil, either when the rocks are set or when plants are put in. The plant roots should be firmed well at the time of transplanting and after any freezing weather which might cause them to be heaved from the ground. Such plants as dianthus and saxifrage profit from having the dead blossoms removed after flowering unless seed is desired.

AETHIONEMA GRANDIFLORUM—glowing pink fls., 2'\$.50
AJUGA METALLICA CRISPA—blue, 3", summer	.35
ALYSSUM SAXATILE—yellow, 10", April	.25
ANDROMEDA POLIFOLIA MONTANA—pink, 8", April	1.00
ANEMONE NEMEROSA ALLENI-lavender blue, 8", April	.50
A. N. ROBINSONIANA—blue, 8", April	.50
A. PULSATILLA—lavendar, 6" to 12", March	.35
A. P. ALBA—white, 10", March	.50
A. P. RUBRA—reddish purple, 8", March	.50
A. SYLVESTRIS—pure white, 10", May	.50
AQUILEGIA ALPINA—blue, 12", May	.35
A. FLABELLATA NANA ALBA—white, 6", April	.50
ARABIS-evergreen-white, 6", April	.25
A. ALPINA—white, 4", March	.25
A. A. FLORE PLENO—double white, 10", April	.25
A. A. ROSEA—mauve, 4", March	
	.23



Dianthus Annie Laurie

ARCTERICA NANA—white, 3", Spring	1.00
ARMERIA CAESPITOSA—pink, 3", May	.50
A. MARITIMA—deep rose, 8", May	.25
ARTEMISIA SCHMIDTIANA NANA—silver foliage, 4"	.50
ASTILBE CHINENSIS PUMILA—rose, 8", May	.50
AUBRIETIA CARNIVAL, CRIMSON KING, GRAECA	.50
AUBRIETIA—mixed colors, 4", March	.25
AUCUBA JAPONICA—large shiny leaves, tall growing	.50
BELLIS PERENNIS—pink, 6", long season	.25
B. P. DRESDEN CHINA-miniature, pink, 3", May	.25
B. P. KELWAY'S DOUBLE CRIMSON—quilled red, 6", May	.25
BUXUS SUFFRUTICOSUS—English Box, 12"	1.00
CAMPANULA NITIDA ALBA—white, 10", June	.25
C. PORSCHARSKYANA—ashy blue, 6", May	.25
C. PUSILLA—lavender blue, 4", May	.25
C. RADDEANA—deep violet, 12", May	.25
C. ROTUNDIFOLIA NANA-blue, 6", May	.25
CERATOSTIGMA PLUMBAGINOIDES—blue, 8", August	.25
CERASTIUM TOMENTOSUM—white, 8", July	.25
CHRYSANTHEMUM AMELIA—pink, 18", August	
C. GLORYMUM—yellow with red tips, 18", July	
CISTUS LAURIFOLIUS—white, 3', July	.75

Dianthus Graniticus



COTONEASTER ADPRESSA—deciduous, spreading	1.50
C. HENRYI—upright, 8', very large growing	1.00
C. HORIZONTALIS—deciduous, bright red berries	.50
C. HUMIFUSA RADICANS—flat to the ground, evergreen	.50
C. MICROPHYLLA GLACIALIS—evergreen, 12"	1.00
C. TIBETICUS—gray-green foliage, 4'	1.00
DIANTHUS ANNIE LAURIE-pink, 6", June	.35
D. BARBARTUS-midget Sweet William, 8", Summer	.35
D. CAESIUS—small pink flowers, 4", June	.50
D. CARYOPHYLLUS—Carnation—pink, 10", Summer	.35
D. CARYOPHYLLUS—Carnation—yellow, 14", Summer	.35
D. COCCINEUS—bright red, creeping, June	.35
D. GRANITICUS—deep pink, small flowers, 6", June	.35
D. LITTLE JOE—rosy red, 10", Summer	.50
D. PLUMARIUS—Cinnamon Pinks—pink, 10", June	.35
D. P. ELINOR—rosy red with dark eye, 12", Summer	.35
D. STERNBERGI—white with fringed petals, 8", August	.35
DOUGLASIA LAEVIGATA OLYMPICA—rose, 3", April	.50
D. VITALIANA—citron yellow, 3", May	.75
DRABA OLYMPICA—mustard yellow, 4", May	.50
DRYAS SUNDERMANNI—white anemone-like flowers, 6"	.50
ERYSIMUM PULCHELLUM—sulphur yellow, 6", April	.25
ESCALLONIA APPLE BLOSSOM—pink, 6', July	1.50
E. RUBRUM—garnet, 4', July, sprawling habit	1.50
GAULTHERIA HISPIDA—decumbent	.75
GENTIANA ACAULIS—rich blue, 3", early spring	
G. EXCISA—brilliant blue, 3", early spring	1.00
G. PURDOMI—clear blue, 6", Summer	.75
GERANIUM SANGUINEUM—magenta, creeping, July	.25
G. S. ALBUM—white, creeping, July	.25
G. S. LANCASTRIENSE—pink, creeping, July	.50
	.50
GEUM BORISI—vivid orange, 18", August	
GEUM BORISI—vivid orange, 18", August	.50
GLOBULARIA CORDIFOLIA—steel blue, 3", June	.50 .50
GLOBULARIA CORDIFOLIA—steel blue, 3", June	.50 .50 .25
GLOBULARIA CORDIFOLIA—steel blue, 3", June GORMANIA LAXA—fleshy leaves, similar to sedums GYPSOPHILA REPENS ROSEA—pink, 3", Summer	.50 .50 .25 .50
GLOBULARIA CORDIFOLIA—steel blue, 3", June	.50 .50 .25 .50
GLOBULARIA CORDIFOLIA—steel blue, 3", June GORMANIA LAXA—fleshy leaves, similar to sedums GYPSOPHILA REPENS ROSEA—pink, 3", Summer HEDERA HELIX—Small Leaved Ivy H. H. CONGLOMERATA—slow growing creeper	.50 .50 .25 .50 .25
GLOBULARIA CORDIFOLIA—steel blue, 3", June GORMANIA LAXA—fleshy leaves, similar to sedums GYPSOPHILA REPENS ROSEA—pink, 3", Summer HEDERA HELIX—Small Leaved Ivy H. H. CONGLOMERATA—slow growing creeper H. H. C. ERECTA—Tree Ivy—2 to 3'	.50 .50 .25 .50 .25 .75
GLOBULARIA CORDIFOLIA—steel blue, 3", June GORMANIA LAXA—fleshy leaves, similar to sedums GYPSOPHILA REPENS ROSEA—pink, 3", Summer HEDERA HELIX—Small Leaved Ivy H. H. CONGLOMERATA—slow growing creeper H. H. C. ERECTA—Tree Ivy—2 to 3' HELIANTHEMUM VULGARE—Rock Rose, 8", Summer	.50 .50 .25 .50 .25
GLOBULARIA CORDIFOLIA—steel blue, 3", June. GORMANIA LAXA—fleshy leaves, similar to sedums. GYPSOPHILA REPENS ROSEA—pink, 3", Summer. HEDERA HELIX—Small Leaved Ivy. H. H. CONGLOMERATA—slow growing creeper. H. H. C. ERECTA—Tree Ivy—2 to 3'. HELIANTHEMUM VULGARE—Rock Rose, 8", Summer. Apricot, Yellow, Pink, Peach Blossom, Ben Ledi (red), Wendell's	.50 .50 .25 .50 .25 .75
GLOBULARIA CORDIFOLIA—steel blue, 3", June GORMANIA LAXA—fleshy leaves, similar to sedums GYPSOPHILA REPENS ROSEA—pink, 3", Summer HEDERA HELIX—Small Leaved Ivy H. H. CONGLOMERATA—slow growing creeper H. H. C. ERECTA—Tree Ivy—2 to 3' HELIANTHEMUM VULGARE—Rock Rose, 8", Summer Apricot, Yellow, Pink, Peach Blossom, Ben Ledi (red), Wendell's Rose, Brunette (burnt orange), Ben Nevis (yellow and orange)	.50 .50 .25 .50 .25 .75
GLOBULARIA CORDIFOLIA—steel blue, 3", June. GORMANIA LAXA—fleshy leaves, similar to sedums. GYPSOPHILA REPENS ROSEA—pink, 3", Summer. HEDERA HELIX—Small Leaved Ivy. H. H. CONGLOMERATA—slow growing creeper. H. H. C. ERECTA—Tree Ivy—2 to 3'. HELIANTHEMUM VULGARE—Rock Rose, 8", Summer. Apricot, Yellow, Pink, Peach Blossom, Ben Ledi (red), Wendell's Rose, Brunette (burnt orange), Ben Nevis (yellow and orange) and double yellow.	.50 .50 .25 .50 .25 .75 .50
GLOBULARIA CORDIFOLIA—steel blue, 3", June GORMANIA LAXA—fleshy leaves, similar to sedums GYPSOPHILA REPENS ROSEA—pink, 3", Summer HEDERA HELIX—Small Leaved Ivy H. H. CONGLOMERATA—slow growing creeper H. H. C. ERECTA—Tree Ivy—2 to 3' HELIANTHEMUM VULGARE—Rock Rose, 8", Summer Apricot, Yellow, Pink, Peach Blossom, Ben Ledi (red), Wendell's Rose, Brunette (burnt orange), Ben Nevis (yellow and orange) and double yellow. HELLEBORUS ORIENTALE—seedlings—white to maroon	.50 .50 .25 .50 .25 .75 .50
GLOBULARIA CORDIFOLIA—steel blue, 3", June. GORMANIA LAXA—fleshy leaves, similar to sedums. GYPSOPHILA REPENS ROSEA—pink, 3", Summer. HEDERA HELIX—Small Leaved Ivy. H. H. CONGLOMERATA—slow growing creeper. H. H. C. ERECTA—Tree Ivy—2 to 3'. HELIANTHEMUM VULGARE—Rock Rose, 8", Summer. Apricot, Yellow, Pink, Peach Blossom, Ben Ledi (red), Wendell's Rose, Brunette (burnt orange), Ben Nevis (yellow and orange) and double yellow. HELLEBORUS ORIENTALE—seedlings—white to maroon. HEPATICA TRIOBA—white to light blue, 3", January	.50 .50 .25 .50 .25 .75 .50
GLOBULARIA CORDIFOLIA—steel blue, 3", June	.50 .50 .25 .50 .25 .50 .50
GLOBULARIA CORDIFOLIA—steel blue, 3", June GORMANIA LAXA—fleshy leaves, similar to sedums GYPSOPHILA REPENS ROSEA—pink, 3", Summer HEDERA HELIX—Small Leaved Ivy H. H. CONGLOMERATA—slow growing creeper H. H. C. ERECTA—Tree Ivy—2 to 3' HELIANTHEMUM VULGARE—Rock Rose, 8", Summer Apricot, Yellow, Pink, Peach Blossom, Ben Ledi (red), Wendell's Rose, Brunette (burnt orange), Ben Nevis (yellow and orange) and double yellow. HELLEBORUS ORIENTALE—seedlings—white to maroon HEPATICA TRIOBA—white to light blue, 3", January HEUCHERA SANGUINEA—Coral Bells, 14", May HYPERICUM BALEARICUM—crinkled leaves, 12"	.50 .50 .25 .50 .25 .75 .50 .50
GLOBULARIA CORDIFOLIA—steel blue, 3", June	.50 .50 .25 .50 .25 .50 .50
GLOBULARIA CORDIFOLIA—steel blue, 3", June GORMANIA LAXA—fleshy leaves, similar to sedums GYPSOPHILA REPENS ROSEA—pink, 3", Summer HEDERA HELIX—Small Leaved Ivy H. H. CONGLOMERATA—slow growing creeper H. H. C. ERECTA—Tree Ivy—2 to 3' HELIANTHEMUM VULGARE—Rock Rose, 8", Summer Apricot, Yellow, Pink, Peach Blossom, Ben Ledi (red), Wendell's Rose, Brunette (burnt orange), Ben Nevis (yellow and orange) and double yellow. HELLEBORUS ORIENTALE—seedlings—white to maroon HEPATICA TRIOBA—white to light blue, 3", January HEUCHERA SANGUINEA—Coral Bells, 14", May HYPERICUM BALEARICUM—crinkled leaves, 12"	.50 .50 .25 .50 .25 .75 .50 .50




Penstemon Rupicola

1. Tomica Jean Siker—yellow, 6 , may	.50
I. P. PAPOOSE—tan blend, 8", May	.50
I. TECTORUM—blue, 14", May	.50
I. TENAX—purple, 10", May	.25
LAVENDULA ATROPURPUREA NANA—French lavendar	.50
L. STOECHAS—purple, 2', June	.50
LEDUM PALUSTRE—pink. 18", May	.75
LEWISIA COLUMBIANA-pink, 6", May	.50
L. C. ROSEA—deep rose, 6", May	.50
L. FINCHII—apricot, 8", May	.50
LITHOSPERMUM PROSTRATUM—gentian blue, 3", May	.50
LYCHNIS ALPINA—pink, 4", June	.25
MAHONIA AQUIFOLIUM—yellow, 4', April	1.25
NEPETA MUSSINI—lavendar, 12', July	.25
N. M. SIX HILLS—taller, more robust	.25
N. M. SUPERBA—prostrate	.25
OMPHALODES VERNA—Creeping Forget-me-not, April	.35
PENSTEMON RUPICOLA—red, 6", May, gray leaves	.50
P. R. ALBA—similar with white flowers	.50
P. R. ROSEA—flowers very light pink	.50
P. SALMON LA SAC—deep rose, 12", May	.75
P. SCOULERI—purple, 10", June	.75
PHLOX SUBULATA ALBA, APPLE BLOSSOM, ATROPURPUREA,	
BLUE HILLS, CAMLENSIS, pink, SPRITE, lavendar	.25
PIERIS FLORIBUNDA—creamy white, 3', February	
POTENTILLA CINERA—bright yellow, 1", Spring	.50
P. COCCINEA—ruby red, trailing, May	
P. FRUCTICOSA MONTANA—yellow, 3", May	.75
PULMONARIA SACCHARATA—blue, 4", April	
P. S. MRS. MOON—pink, 8", April, spotted leaves	.50
P. LUTEA—sulphur yellow, 8", April, spotted leaves	.50
RANUNCULUS MONTANUS—butter yellow, 3", May	.35

ROSES—Pink Midget, Oakington Ruby, Rouletti, Elf	
(white to pink)	.75
SAXIFRAGA AEIZOON—white, 10", April	.25
S. AEIZOON ROSEA—rosy pink, 10", April	.25
S. LINGULATA—white, 15", May	.25
S. MARGINATA—white, 4", May	.25
S. MEGASEA CORDIFOLIA-pink, 18", March	.50
S. MEGASEA CRASSIFOLIA—cherry red, 12", March	.50
S. UMBROSA NANA—pink, 4", Spring	.25
SANGUINARIA CANADENSIS—Bloodroot—white, March	.25
SAPONARIA OCCYMOIDES—bright pink, trailing, May	.50
SCABIOSA GRAMINEAFOLIA—pale blue, 1', June	.50
SEDUM ALBUM, MURALE, SPATHULIFOLIUM, SPATHULIFOLIUM	
ATROPURPUREUM, SIEBOLDI WATSONI, REFLEXUM, REFLEXUM	
CRISTATUM	.25
SEMPERVIVUM ARACHNOIDEUM—Spiderweb Hen and Chick	.25
SENECIO CINERARIA—Dusty Miller—gray foliage	.25
SILENE SCHAFTA—rosy pink, 6", Autumn	.25
SISYRINCHIUM BELLUM—Blue Eyed Grass—8", May	.35
SPIREA BULLATA—deep rose, 15", July	.50
SPRAGUEA MULTICEPS—white to pink, low, May	.35
SYNTHYRIS RENIFORMIS—dark blue, 6", March	.50
VERONICA CUPRESSOIDES NANA—bright green shrub	1.00
V. HECTORI—wiry branches, inconspicuous flowers	1.00
V. GUTHERIANA—blue, 8", Summer	.50
V. RUPESTRIS—bright blue, trailing, Summer	.35
V. RUPESTRIS NANA—lighter blue, 3", June	.50
V. RUPESTRIS ROSEA—lavendar pink, 3", June	.50
VIOLA ODORATA ROSINA—old rose, 4", April	.35

Saxifrages in a Rock Garden (top)





Showing the distinction between the two most common heaths.

Erica on the left with small needles and Calluna
on the right with overlapping bracts.

Heathers

Year round color of flower and foliage are offered by the heaths. The soil for them should abound in peat moss; may be neutral or slightly acid; and, should contain plenty of well rotted manure. Prune heathers after flowering to keep plants low and compact.

BRUCKENTHALIA SPICULIFOLIA—pink, 8", June	50c a	nd \$.75
CALLUNA VULGARIS ALBA—white, 15", Summer			.50
C. V. ALPORTI-red purple, 18", August			.50
C. V. COUNTY WICKLOW-double pink, 10", August	50c	and	.75
C. V. FLORE PLENO—double lavendar, 15", July		.,	.50
C. V. FOXI NANA—pink, 4", Summer			
C. V. MRS. H. E. BEALE-double pink, 20", August			.50
C. V. MRS. J. H. HAMILTON-double rose, 8", September			
C. V. MCKAYI—pale lavendar, 8", June	.50c	and	.75
C. V. MINIMA—lavendar, 6", Summer			
C. V. M. SMITH'S VAR.—lavendar, 6", Summer	.50c	and	.75

Erica Mediterranean Hybrid



C. V. NANA—layendar, 4", Summer	50c and	.75
C. V. PYGMAEA—lavendar, 8", Summer	50c and	.75
C. V. VARIEGATA—pink, 15", Summer	50c and	.65
DABOECIA POLIFOLIA—purple, 15", July	, 65c and	1.00
ERICA ARBOREA ALPINA—white, 4', September	50c and	1.50
E. CARNEA—rosy purple, prostrate, winter		1.00
E. C. KING GEORGE—rose, December	50c and	.75
E. C. SPRINGWOOD PINK—heavy bloomer		.50
E. C. SPRINGWOOD WHITE—January		.50
E. C. VIVELLI-crimson, bronze foliage, January	50c and	.75
E. CILIARIS—rose, 10", uly	. 50c and	.65
E. CINEREA—reddish purple, 15", August		.50
E. C. ALBA—white, 15", August	50c and	1.00
E. C. DOMINO-white, 9", August	50c and	1.00
E. C. G. FORD—garnet, 10", July		.50
E. C. GOLDEN DROP—yellow tips to foliage	. 50c and	.75
E. C. RUBRUM-brilliant scarlet, 6", July		.75
E. DAWN—large soft pink flowers, 10", Summer	50c and	.75
E. HYBRIDA WATSONI—rusty red, 12", August	. 50c and	.75
E. MACKIANA—frosted pink, 8", July		.50
E. MCKAYI FLORE PLENO-double pink, 10", June		.50
E. MEDITERRANEAN HYBRID—rosy lavendar, 12", Janua	ry	.50
E. STRICTA—deep rose, 4-5', August	.50c and	.75
E. TETRALIX—soft pink, 12", June	50c and	.65
E. T. ALBA—white, 15", June		.50
E. T. MOLLIS—white tinged with pink, 12", May		.50
ERICA VAGANS—lilac, 15", August	50c and	1.00
E. V. ALBA—white, 15", August		.50
E. V. MRS. D. F. MAXWELL—bright rose, 15"	. 50c and	.75
E. V. ST. KEVERNE—rose pink, 12", September	50c and	.75
E. WILLIAMSI-pink, 15", July	50c and	.75
E. WYCH—light pink, 18", June		.75
PHYLLODOCE EMPETRIFORMIS—rose red, 12", August		1.00



Dwarf Brooms

Brooms like sunny banks and crannies where the soil is not particularly rich. Their gay flowers brighten the scene in late spring and early summer.

CYTISUS DECUMBENS—bright yellow, prostrate, June	2.00
C. PURPUREUS—purple mauve, 18", May50c and	1.00
GENISTA HORRIDA—yellow, 10", Summer\$1.00 and	1.50
G. RADIATA—bright yellow, 2', Summer	.50
G. SAGITTALIS—butter vellow, procumbent, July	75

Rhododendrons and Azaleas

Acid soil and plenty of water in late summer during the growing season will help to keep these choice shrubs in good health. To acidify neutral or alkaline soil use a pound of sulphur to 100 sq. ft. Dwarf rhododendrons and azaleas are particularly desirable for rock garden use since they are very slow growing.

A. FLAME CREEPER—single orange red, 4"
A HINODEGIRI AIRA—white 15" May 100
Through the state of the state
A. HINODEGIRI FLAME—orange, 15", June
A. HINODEGIRI PINKIE—light pink, 12", June
A. POUHKENENSIS—purple, 20", June 50c and 1.00
A. SCHLIPPENBACHI—shell pink, 4', June 5.00
RHODODENDRON DAPHNOIDES—rose, 2', May
R. FASTIGIATUM—light purple, 2', April
R. FERRUGINEUM-Alpine Rose-carmine, 1'
R. HIRSUTUM—rose, 2', May
R. IMPEANUM—lavendar, 10", April
R. IMPEDITUM—mauve, 15", April, gray leaves
R. MUCRONULATUM—rosy lavendar, 3', February 5.00
R. RACEMOSUM—clear pink, 4', April
R. RUBIGINOSUM—mauve, spotted brown

Azalea Hinodegiri Alba





Rhododendron Racemosum

Camellias

AKEBONO—rose, semi-double \$.7	5, \$2.50 c	ind \$	7.50
BELLE ROMANO—striped red and white	75c, \$2.50	and	7.50
FANNY BOLLIS—red and white			7.50
JARVIS RED—tufted center	75c	and	2.50
JORDAN'S PRIDE-pink edged with white	75c	and	7.50
LITTLE CHEERFUL—red			.75
PURITY—very formal white			.75
SASANQUA ALBA—single, white			.75
SASANQUA ROSEA—Briar Rose			.75
SNYDER WHITE-similar to PURITY			.75
THEA SINENSIS—Tea Plant			.75
WAKANOIIRA—rad			7.50

Double Camellia



Conifers

Sun and moist sandy soil suit the dwarf spruce (Picea) and juniper best while the majority of the other conifers in this list prefer richer soils, more moisture, and as much sun. There are suitable forms for every location in the rock garden and, if you have never used these low growing shrubs, you have missed an opportunity for interest and accent.

NOTE: Colors in descriptions refer to foliage rather than flowers.

ABIES LASIOCARPA—narrowly conical tree	\$3.50
A. NOBILIS—thin, soft foliage; symmetrical	3.50
A. PINSAPO GLAUCA—stiff, very slow growing	5.00
CHAMAECYPARIS LAWSONIANA FLETCHERI—gray, 6'	2.00
C. L. MINIMA-18", broadly conical	2.00
C. L. NANA—globose, blue green foliage	2.00
C. L. PISIFERA FILIFERA NANA—12", light green	1.50
C. OBTUSA NANA—dwarf Hinoki cypress	2.00
C. PISIFERA DUMOSA-12", silvery green	2.00
CRYPTOMERIA JAPONICA NANA—10", bronze in winter	1.50
JUNIPERUS MONTANA—gray foliage, creeping 35c and	1.00
J. COMMUNIS COMPRESSA-18", columnar, gray 25c and	4.00
J. VARIEGATA—golden and green foliage	.75
PICEA ABIES CAPITATA—12", rounded contour	2.50
P. A. CLANBRASILIANA-18", dome shaped, dense	1.00

Left to right — Cryptomeria Japonica Nana, Juniperus Communis Compressa and Picea Abies Pumila. Foreground—Selaginella.






Picea Abies Conica

P. A. CONCICA—pyramidal, attains 2'	2.50
P. A. NIDIFORMIS—close growing branches	2.50
P. A. PUMILA-9", depressed top, globular	2.50
P. A. REPENS—12", more open in habit	2.00
P. ORIENTALIS—slow growing tree, pyramidal	6.00
TAXUS CUSPIDATA AUREA—new needles golden	1.25
T. C. NANA—2', spreading branches \$1.00 and	4.50
T. REPANDENS—graceful, large spread	1.25

Picea Abies Clanbrasiliana (in foreground)





Fuchsia Display

Fuchias

35c and 75c

BABY BUNTING
COVENT GARDEN
DISPLAY
ELSA
GIANT CASCADE
THE DOCTOR

RICCARTONI

KATY O'DAY

MACROSTIMMA ALBA

OLD DEL MONTE

ROLLO

MRS. RUNDLE

PINK PEARL

Herbs

CATNIP,	CHIVES,	PEPPERM	INT,	APPLEMINT,	PARSLEY	or	THYME .\$.25	
ROSEMA	RY. OLD	MAN, or	SAGI	E				.50	

Primroses


While rich loam and partial shade are considered prime requisites for fine primroses yet you find them flowering beautifully under many other conditions. Primroses begin to flower in earliest spring with the polyantha and acaulis varieties and continue for several months.



Primula Polyantha

PRIMULA ACAULIS—mixed colors, 6", March\$	25
FRIMOLA ACAULIS—Inixed colors, o , March	.33
P. ACAULIS BLUE—very low, March	.50
P. ACAULIS DOUBLE WHITE	1.00
P. AURICULA—mixed colors, 8", May, smooth leaves	.50
P. AURICULA YELLOW	.75
P. CASHMERIANA—pale purple, 10", April	.50
P. DOROTHY—soft creamy yellow, 6", April	.75
P. HELENAE—burgundy red, creeping, April	.50
P. JULIANA ROSEA—orchid, 4", April	.75
P. POLYANTHA—mixed colors, 8", March	.35
P. RAE—claret, 3", April	.50
P. ROSEA GRANDIFLORA—rose pink, 9", May	.75
P. WANDA-deep purple, 6", April	.50

Primula Cashmeriana





Aquilegia Chrysantha

Perennials

Few plants require less attention for the return given than the tall perennials which are used in borders and beds for summer color and which provide such quantities of cut flowers if well fertilized. Most of them prefer a sunny location.

AGROSTEMMA FLOS JOVIS—bright pink flowers, woolly leaves\$.25
ANTHEMIS TINCTORIA—bright yellow daisies, 3', July	.25
AQUILEGIA CHRYSANTHA—light yellow, 2', June	.25
A. CRIMSON STAR—striking red and yellow, 2', July	.25
A. LONGISSIMA—yellow, extra long spurred, 4', July	.25
A. SCOTT ELLIOTT HYBRIDS—pastel shades, 3', July	.25
ARTEMISIA LACTIFLORA—creamy white, 4', August	.25
A. SILVER KING—silvery foliage, 3'	.25
ASTILBE CHINENSIS—pink or white, 18", June	.50
CAMPANULA GLOMERATA—deep blue, 18", Summer	.25
CENTAUREA CYANEA—Perennial Bachelor Button	.25
CHELONE TORREYI—scarlet, 20", Summer	.25
COREOPSIS GRANDIFLORA—bright yellow, 2', Summer	.25
CORYDALIS CHEILANTHIFOLIA—ferny foliage, creamy flowers	.35
C. LUTEA—bright yellow, 8", likes moisture	.25
DELPHINIUM CLIVEDEN BEAUTY—light blue, 5'	.25
FOXGLOVE—Sutton's Apricot—6', Summer	.50
FUNKIA LANCEOLATA—lavendar, 2', late Summer 25c and	1.00
GAILLARDIA GOBLIN—red and yellow, 10", Summer	.35
GERANIUM MACULATUM—orchid, 18", June	.25
GYPSOPHILA PANICULATA—Baby's Breath—white, 4'	.25
HELIANTHUS HIRSUTUS—yellow with brown center, 5'	.25
IRIS PSEUDACORUS—yellow, 3', July	.25

I. SIBIRICA—blue, 3', May25c and	1.00
1. SPECIE—white, 5', August	.50
LINUM PERENNE—clear blue, 2', Summer	.35
LYCHNIS CHALCEDONICA—brick red, 3', June	.35
L. VISCARIA SPLENDENS FLORE PLENO—rosy red, 18"	.35
OENOTHERA SULPHUREA ODORA—Evening Primrose—3'	.25
PAPAVER NUDICAULE—deep apricot, 18", Summer	.25
P. ORIENTALE—scarlet, 18", July	.50
PHLOX DECUSSATA—Africa (red), Lillian (soft pink), Spatrot	
(salmon), lavendar, low early pink, late tall pink, white	.35
PODOPHYLLUM PELTATUM—May Apple—white, 15", May	.50
POLEMONIUM CAERULEA—blue, yellow, eye, 12", June	.35
PYRETHRUM ROSEUM—mixed colors, 2', May	.35
Phyllis (pink), Patricia (pink), Purity	.50
STOKESIA LAEVIS—blue, 12", Summer	.50

Delphinium Cliveden Beauty



Perennial Asters

Excellent for color in summer and early fall

25c each

DWARF

DAPHNE—soft pink

COUNTESS OF DUDLEY—pink

MARJORIE—bright rose

NANCY—lavendar pink

TIBETICUS—lavendar

TALL

BARR'S PINK—deep rose


ERECOIDES—tiny white flowers

LUTEUS—small yellow flowers

50c each

HARRINGTON'S PINK—3'
MRS. FRANCES CHILDERS—carmine rose, 4'
FR!KARTI—blue, very long season, 2'

Formal Garden using Dwarf Box (Buxus Suffruticosus)





Cypripedium Spectabile

Ladyslippers

The Ladyslippers are woodland denizens requiring leaf mold and chopped fern root to make them happy. A small amount of heat in the greenhouse will force them into bloom in March or they may be planted outside and left alone for later flowering. Their natural enemies are field mice, quail and pheasants from which a screen basket will offer some protection.

CYPRIPEDIUM ACAULE — rose	.35
C. PUBESCENS — yellow and brown	.35
C. SPECTABILE — pink and white	.35

Miscellaneous

ASARUM CAUDATUM—Wild Ginger—Collected plants\$.25
FELICIA ROTUNDIFOLIA—Agathea—tender plant for rock garden	
or border—sky blue fls.	.25
FRAGARIA ALPINA—Alpine Strawberry	.25
F. VESTUCA ALBA—white strawberry	.25
PYRACANTHA COCCINEA—Firethorn	.50
ROCK FERNS—sun loving and low growing	.25



Trillium

Bulbs

Small bulbs grouped throughout the rock garden or shrub border heighten the gaiety and color there in early spring. These should be moved when dormant.

	Each P	er Doz.
ALLIUM ACUMINATUM — Wild Onion	\$0.10	\$0.75
ARISOEMA TRIPHYLLUM — Jack-in-pulpit	25	2.50
BRODIAEA LAXA — blue	10	.75
CROCUS — purple, white and yellow mixed	10	.75
ERYTHRONIUM — Dog-tooth Violet, Deer Tonque, or		
Avalanche Lily (Fall delivery only)	15	1.00
MUSCARI BOTRYOIDES — Grape Hyacinth	10	.75
DICENTRA CUCULLARIA — Dutchman's Breeches	20	2.00



Seeds

Seeds are not our specialty but some of our own are gathered and some collecting in the wild is done. We will be glad to receive your requests.

Creepers and Ground Covers

Many banks and narrow strips of ground which are unsatisfactory when planted in lawn become a source of great pleasure when planted with one or more of these low spreading plants. Requirements differ according to the plant. Those which are happy around and under ericaceous plants such as rhododendrons and azaleas are marked with an asterisk.

		per Flat
ACAENA MICROPHYLLA—fine leaves, crimson in Autumn \$.25	\$2.50
AJUGA GENEVENSIS—blue flowers, green leaves, Spring	.25	2.50
A. REPTANS RUBRA—purple flowers, bronzy leaves, Spring	.25	2.50
*ARCTOSTAPHYLOS UVA-URSI—Kinnikinnick	.25	
BELLUM MINUTUM—miniature white to pink daisies	.25	2.50
COTULA SQUALIDA—ferny foliage, likes shade	.25	2.50
*EPIMEDIUM LILACINA—lavendar, 8", shade loving	.50	
*E. MACRANTHUM ROSEUM—rosy pink, 12", shade	.50	
*E. NIVEUM—white, 8", shade	.50	
*E. SULPHUREUM—pale yellow, 15", shade	.50	
ISOTOMA FLUVIATILE—tiny white stars, blue striped	.25	2.50
EUONYMOUS RADICANS MINIMA—trailing		.50
LOTUS CORNICULATUS—yellow, pea shaped flowers	.25	
MENTHA REQUIENI—matted leaves, giving off mint odor	.25	2.50
NIEREMBERGIA RIVULARIS—white cups, Spring	.25	2.50
*POLYGONUM VACCINAEFOLIUM—spikes of pink, August	.25	
SAGINA SUBULATA—white starts, mossy, Summer	.25	2.50
SEDUM ACRE—bright yellow, Summer	.25	2.50
THYMUS SERPYLLUM—Creeping Thyme—white, red,		
lavendar and woolly	.25	2.50
*VANCOUVERIA HEXANDRA—creamy flowers, 8", April	.50	
*VACCINEUM VITIS-IDAE—shell pink, 6", Spring, 50c and \$	1.00	
VINCA MINOR-Myrtle-blue, white or red purple	.25	2.50

Creeping Thyme



Water Plants

A well planned pool will not only have water lilies, whose flowering season is short, but will contain bog and other water plants to lengthen the season of bloom and will also have some submerged oxygenating plants for the fish. Snails are good scavengers and will complete the balance of the water garden.

AZOLLA—Water Fern—per portion\$	0.10
ANACHARIS—Elodea—Fish Greens—per bunch	.25
BOGBEAN—large trifoliate lys.	.25
CATTAIL—6 ft., usurps all space available	.25
IRIS PSEUDACORUS—yellow, 3 ft., July	.25
I. VERSICOLOR—blue, 2 ft., July	.25
MYRIOPHYLLUM—Fish Greens—per bunch	.25
POTAMOGETON—Pondweed—submerged oxygenator	.25
SAGITTARIA LANCIFOLIA—white, 2 ft., May	.25
S. NATANS—submerged, 6"	.25
S. SAGITTAEFOLIA—true Arrowhead, 2 ft., white	.25
WATER FORGET ME NOT—blue, 6", all summer	.25
WATER HYACINTH—floating, lavendar, not hardy, do not order before May 1	.25
WATER POPPY—butter yellow, surface, May	.25
WATER LILIES—supply varies with the season—write for prices if interested.	
SNAILS—several varieties	.02
Trapdoor Occasionally are not available in the season when they are propagating.	.10

Pool and Rockery





A, Ramshorn Snails; B, Shell of Trapdoor Snail; C, Pondsnails; Fishgreens; D, Myriophyllum; E, Anacharis; F, Nitella.



Mahonia aquifolium